



# HVACR Brushes & Accessories

## Quality Brushes / Accessories for Heating, Ventilation, Air Conditioning and Refrigeration

The Mill-Rose Company offers the most comprehensive line of boiler and flue brushes in the industry. Manufactured with the highest quality materials and workmanship, the brushes presented here are a sampling of our most popular items. For a complete listing of flue, boiler tube and heavy-duty cleaning brushes, contact our Customer Service Department.



### Fine-Wire, Single-Spiral Brushes for Small Boilers, Burners, Nozzles & Fans

These brushes have 3" brush lengths and 1/2" or 3/4" loop handles for easy hanging. All brushes have labels on handles with individual UPC identification.

Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
01015	3/16" Dia., 7" OAL, Carbon Steel	---	---	12	1.20 lbs.
01025	1/4" Dia., 7" OAL, Carbon Steel	---	01002	12	1.44 lbs.
01190	1/4" Dia., 16" OAL, Stainless Steel	---	14422	12	2.88 lbs.
01208	1/4" Dia., 24" OAL, Stainless Steel	---	14442	12	3.60 lbs.
01256	1/4" Dia., 36" OAL, Stainless Steel	---	---	12	6.00 lbs.
01045	3/8" Dia., 8" OAL, Carbon Steel	---	01011	12	1.80 lbs.
01192	3/8" Dia., 18" OAL, Stainless Steel	---	14424	12	3.84 lbs.
01210	3/8" Dia., 24" OAL, Stainless Steel	---	14444	12	5.40 lbs.
01258	3/8" Dia., 36" OAL, Stainless Steel	---	---	12	8.40 lbs.
01060	1/2" Dia., 8" OAL, Stainless Steel	S5-79	01006	12	1.80 lbs.
01065	1/2" Dia., 8" OAL, Carbon Steel	S5-79	01026	12	1.80 lbs.
01194	1/2" Dia., 18" OAL, Stainless Steel	S5-90	14406	12	4.20 lbs.
01212	1/2" Dia., 24" OAL, Stainless Steel	---	14446	12	5.40 lbs.
01260	1/2" Dia., 36" OAL, Stainless Steel	S5-79	---	12	8.40 lbs.
01286	1/2" Dia., 42" OAL Carbon Steel	S5-79	---	6	4.80 lbs.
01080	5/8" Dia., 9" OAL, Carbon Steel	---	01007 (01027)	12	1.95 lbs.
01157	5/8" Dia., 16" OAL, Carbon Steel	S5-92	14408	12	3.84 lbs.
01214	5/8" Dia., 24" OAL, Stainless Steel	---	14448	12	5.40 lbs.
01262	5/8" Dia., 36" OAL, Stainless Steel	---	---	12	8.64 lbs.
01100	3/4" Dia., 9" OAL, Carbon Steel	---	01008	12	2.26 lbs.
01198	3/4" Dia., 18" OAL, Stainless Steel	S5-94	14410	12	4.20 lbs.
01216	3/4" Dia., 24" OAL, Stainless Steel	---	14450	12	6.00 lbs.
01264	3/4" Dia., 36" OAL, Stainless Steel	---	---	12	9.00 lbs.
01399	3/4" Dia., 42" OAL, Carbon Steel	S5-79A	---	6	4.80 lbs.
01110	13/16" Dia., 10" OAL, Carbon Steel	---	01121	12	2.40 lbs.
01120	7/8" Dia., 10" OAL, Carbon Steel	---	01009 (01029)	12	2.25 lbs.
01200	7/8" Dia., 18" OAL, Stainless Steel	---	14432	12	4.20 lbs.
01218	7/8" Dia., 24" OAL, Stainless Steel	---	14452	12	6.00 lbs.
01268	7/8" Dia., 36" OAL, Stainless Steel	---	---	12	9.00 lbs.

Most popular brushes are listed above. Additional sizes are available.

**7310 Corporate Blvd., Mentor, OH 44060**  
**To order call toll-free: 1-800-321-3598 or Fax (440) 255-1072**  
**Visit our web site at [www.CleanFit.com](http://www.CleanFit.com) • E-mail: [info@CleanFit.com](mailto:info@CleanFit.com)**

## Fine-Wire, Single-Spiral Brushes for Small Boilers, Burners, Nozzles & Fans

These brushes have 3" brush lengths and 1/2" or 3/4" loop handles for easy hanging. All brushes labeled with UPC identification.


Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
01140	1" Dia., 10" OAL, Carbon Steel	---	01010 (01030)	12	2.40 lbs.
01202	1" Dia., 18" OAL, Stainless Steel	S5-96	14414	12	4.20 lbs.
01220	1" Dia., 24" OAL, Stainless Steel	---	14454	12	6.00 lbs.
01270	1" Dia., 36" OAL, Stainless Steel	---	---	6	9.00 lbs.
01294	1" Dia., 42" OAL, Carbon Steel	S5-79B	---	12	4.80 lbs.
01204	1-1/4" Dia., 18" OAL, Stainless Steel	---	14436	12	4.20 lbs.
01222	1-1/4" Dia., 24" OAL, Stainless Steel	---	14456	12	6.00 lbs.
01272	1-1/4" Dia., 36" OAL, Stainless Steel	---	---	12	9.00 lbs.
01224	1-1/2" Dia., 24" OAL, Stainless Steel	---	---	12	6.00 lbs.
01274	1-1/2" Dia., 36" OAL, Stainless Steel	S5-78	---	6	9.00 lbs.
01398	1-1/2" Dia., 42" OAL, Carbon Steel	S5-78	---	6	4.80 lbs.
01226	2" Dia., 24" OAL, Stainless Steel	---	---	12	6.60 lbs.
01276	2" Dia., 36" OAL, Stainless Steel	---	---	6	4.20 lbs.
01400	2" Dia., 42" OAL, Carbon Steel	S5-80	---	6	5.10 lbs.
01324	2" Dia., 48" OAL, Stainless Steel	---	---	6	5.70 lbs.
01278	2-1/2" Dia., 36" OAL, Stainless Steel	---	---	12	8.40 lbs.
01405	2-1/2" Dia., 42" OAL, Carbon Steel	S5-81	---	6	5.10 lbs.
01326	2-1/2" Dia., 48" OAL, Stainless Steel	---	---	12	11.40 lbs.
01280	3" Dia., 36" OAL, Stainless Steel	---	---	12	8.40 lbs.
01410	3" Dia., 42" OAL, Carbon Steel	S5-82	---	6	5.10 lbs.
01328	3" Dia., 48" OAL, Stainless Steel	---	---	12	11.40 lbs.

## Nylon Tube Brushes for Boilers, Burners, Flues, Vents and Nozzles



Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
04882	1/4" Dia., 6-1/4" OAL, Nylon Tube Brush	---	---	6	.10 lbs.
04883	3/8" Dia., 6-1/4" OAL, Nylon Tube Brush	---	---	6	.20 lbs.
04884	1/2" Dia., 8-1/2" OAL, Nylon Tube Brush	---	---	6	.30 lbs.
01445	1/2" Dia., 30" OAL, Nylon Tube Brush	---	---	6	.80 lbs.
04867	3/4" Dia., 9" OAL, Nylon Tube Brush	S5-100	14529	6	.40 lbs.
04887	3/4" Dia., 30" OAL, Nylon Tube Brush	---	---	6	.60 lbs.
01450	3/4" Dia., 30" OAL, Nylon Tube Brush	---	14533	6	.80 lbs.
01470	3/4" Dia., 36" OAL, Nylon Tube Brush	---	---	6	1.0 lbs.
04888	1" Dia., 12-1/4" OAL, Nylon Tube Brush	---	---	6	1.0 lbs.
01455	1" Dia., 30" OAL, Nylon Tube Brush	---	---	6	.90 lbs.
01475	1" Dia., 36" OAL, Nylon Tube Brush	---	---	6	1.2 lbs.
04890	1-1/4" Dia., 13" OAL, Nylon Tube Brush	---	---	6	.80 lbs.
04891	1-1/2" Dia., 13" OAL, Nylon Tube Brush	---	---	6	1.0 lbs.
01460	1-1/2" Dia., 30" OAL, Nylon Tube Brush	---	---	6	1.2 lbs.
01478	1-1/2" Dia., 36" OAL, Nylon Tube Brush	S5-86A	14567	6	1.5 lbs.
04892	2" Dia., 16" OAL, Nylon Tube Brush	---	---	6	1.0 lbs.
01520	2" Dia., 24" OAL, Nylon Tube Brush	---	---	6	1.2 lbs.
39963	2" Dia., 27" OAL, Nylon Tube Brush	---	---	6	2.4 lbs.
01481	2" Dia., 42" OAL, Nylon Tube Brush	---	---	6	4.5 lbs.
01500	2-1/4" Dia., 36" OAL, Nylon Tube Brush	S5-100C	14588	6	3.8 lbs.
01538	2-1/2" Dia., 36" OAL, Nylon Tube Brush	---	---	6	3.6 lbs.
39964	3" Dia., 27" OAL, Nylon Tube Brush	---	---	6	2.4 lbs.
01491	3" Dia., 42" OAL, Nylon Tube Brush	S5-68	---	6	4.5 lbs.

## Polished Tampico Boiler and Flue Brushes




Cat #	Description	Std. Pkg.	Wgt./Pkg.
39971	2" Dia., 27" OAL	6	1.8 lbs.
39973	2" Dia., 42" OAL	6	2.7 lbs.
39975	3" Dia., 27" OAL	6	2.0 lbs.
39977	3" Dia., 42" OAL	6	3.0 lbs.

All Brushes Above are a Select Grade of Polished Tampico (Slightly Stiffer and More Durable)

## Horsehair Tube Brushes for Boilers, Burners, Radiators, Flues, Vents and Nozzles



Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
04850	1/4" Dia., 6-1/4" OAL, Horsehair Tube Brush	---	---	6	.10 lbs.
04856	3/8" Dia., 9" OAL, Horsehair Tube Brush	S5-102	10210	6	.10 lbs.
04860	1/2" Dia., 9" OAL, Horsehair Tube Brush	S5-104	10211	6	.20 lbs.
04964	1/2" Dia., 12" OAL, Horsehair Tube Brush	S5-105	10221	6	.30 lbs.
04962	1/2" Dia., 18" OAL, Horsehair Tube Brush	S5-105A	10222	6	.50 lbs.
04970	1/2" Dia., 24" OAL, Horsehair Tube Brush	S5-98	10223	6	.80 lbs.
01836	1/2" Dia., 36" OAL, Horsehair Tube Brush	S5-105B	10224	6	1.0 lbs.
01837	1/2" Dia., 42" OAL, Tampico Tube Brush	---	---	6	2.0 lbs.
04865	3/4" Dia., 9" OAL, Horsehair Tube Brush	S5-105C	10212	6	.50 lbs.
04965	3/4" Dia., 12" OAL, Horsehair Tube Brush	---	---	6	.60 lbs.
04960	3/4" x 1-1/4" Tapered, 12" OAL, Horsehair Tube Brush	---	---	6	.80 lbs.
04961	3/4" x 1-1/4" Tapered, 17" OAL, Horsehair Tube Brush	---	---	6	1.3 lbs.
17419	7/8" Dia., 40" OAL, Horsehair Tube Brush	---	---	6	2.0 lbs.
04870	1" Dia., 12-1/2" OAL, Horsehair Tube Brush	---	---	6	1.5 lbs.
04900	1" Dia., 16" OAL, Horsehair Tube Brush	---	---	6	1.3 lbs.
04875	1-1/4" Dia., 13" OAL, Horsehair Tube Brush	---	---	6	1.5 lbs.
04905	1-1/4" Dia., 16" OAL, Horsehair Tube Brush	---	---	6	1.6 lbs.
39924	1-1/4" Dia., 30" OAL, Horsehair Tube Brush	S5-8016	---	6	2.5 lbs.
04878	1-1/2" Dia., 12" OAL, Horsehair Tube Brush	---	---	6	1.3 lbs.
04910	1-1/2" Dia., 16" OAL, Horsehair Tube Brush	---	---	6	1.3 lbs.
01388	1-1/2" Dia., 42" OAL, Tampico Tube Brush	---	---	6	4.5 lbs.
04880	2" Dia., 16" OAL, Horsehair Tube Brush	---	---	6	1.2 lbs.
39961	2" Dia., 27" OAL, Tampico Tube Brush	S5-70	76221	12	4.5 lbs.
01480	2" Dia., 42" OAL, Tampico Tube Brush	S5-74	---	24	13.0 lbs.
39920	2-1/4" Dia., 30" OAL, Horsehair Tube Brush	---	---	6	2.5 lbs.
39960	2-1/2" Dia., 27" OAL, Tampico Tube Brush	---	---	6	2.4 lbs.
39962	3" Dia., 27" OAL, Tampico Tube Brush	S5-72	---	6	2.4 lbs.
39921	3" Dia., 30" OAL, Horsehair Tube Brush	---	---	6	2.5 lbs.
01490	3" Dia., 42" OAL, Tampico Tube Brush	S5-76	---	12	7.0 lbs.
01492	4" Dia., 42" OAL, Tampico Tube Brush	---	---	6	4.5 lbs.




## Columbia Specialty Boiler Brushes

Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
01271	1/2" x 1", 36" OAL Columbia Boiler Brush (Flat)-Light Duty	---	---	12	7.0 lbs.
84006	1/2" x 1", 27" OAL, Columbia Boiler Brush (Flat)	S5-84A	46302	24	8.0 lbs.
84007	1/2" x 1", 48" OAL, Columbia Boiler Brush (Flat)	S5-84	46304	12	6.0 lbs.

## Peerless Specialty Boiler Brushes




Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
84204	1-1/2" x 3/4" x 30" OAL, Peerless Boiler Brush	---	---	12	2.5 lbs.



## Weil McLain Specialty Boiler Brushes

Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
84200	1-1/2" x 1-1/8", 30" OAL, Weil-McLain Boiler Brush	S5-86C	14466	24	6.0 lbs.
84201	1-1/2" x 1-1/8" x 30" OAL Weil-McLain Heavy-Duty Horsehair Boiler Brush	S5-86A	---	6	3.8 lbs.
84202	1-1/2" x 1-1/8" x 36" OAL Weil McLain Heavy Duty - Gold Series Original	---	---	12	5.0 lbs.
84203	1-1/2" x 1-1/8" x 42" OAL Weil McLain Heavy Duty - Gold Series	---	---	6	5.2 lbs.
84205	1-1/2" x 1-1/8" 30" OAL, Weil-McLain Heavy Duty Brush	S5-86	---	12	8.0 lbs.
84207	1-1/2" x 1-1/8" x 24" OAL Horsehair Light Duty - Very Flexible	---	---	6	3.3 lbs.
84208	3" Dia., 42 OAL Weil McClain - Ultra Oil Series	---	---	24	9.5 lbs.
84210	1-1/2" x 1-1/8" 42" OAL, Weil-McLain Boiler Brush	---	---	12	3.5 lbs.
84211	1-1/2" x 1-1/8" 42" OAL, Weil-McLain Horsehair Boiler Brush	---	00405	6	4.8 lbs.



## Slant Fin Specialty Boiler Brushes

Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
84009	2-1/4", 20" OAL, Tapered Slant Fin Boiler Brush	S5-87	---	12	2.2 lbs.
84011	2-1/4", 20" OAL, Tapered Heavy Duty Slant Fin Brush	---	---	12	2.5 lbs.



## Tapered Specialty Boiler Brushes

Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
84023	1-7/8" - 1-1/8" Taper, 30" OAL, Tampico Boiler Brush	---	---	6	3.6 lbs.
84027	1-7/8" - 1-1/8" Taper, 42" OAL, Horsehair Boiler Brush	S5-88	---	12	4.0 lbs.
84028	1-7/8" - 1-1/8" Taper, 30" OAL Horsehair Boiler Brush	---	---	6	3.5 lbs.
84029	1/2" - 1" Taper, 42" OAL, Horsehair Boiler Brush	---	---	6	4.0 lbs.
84212	1/2" - 1" Taper, 36" OAL, Horsehair Boiler Brush	S5-88C	---	6	4.0 lbs.
84214	1/2" - 1" Taper, 30" OAL, Horsehair Boiler Brush	---	---	6	3.5 lbs.
84215	1/2" - 1" Taper, 30" OAL, Tampico Boiler Brush	---	---	6	3.6 lbs.
84216	1/2" - 1" Taper, 21" OAL, Horsehair Boiler Brush	---	---	6	2.5 lbs.

## Horsehair Brush for Radiators



Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
39919	1-Row, 24" OAL, Wood Handle Horsehair Radiator Brush	S5-108	76026	12	4.5 lbs.

## Heavy-Duty Cleaning Brushes For Furnace Flues and Chimneys




U-Shaped  
Cleaning Brush

Multi-purpose brushes useful for a variety of cleaning jobs. (1/4" NPT Connectors)

Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
84106	1-1/2" x 4" x 5" Dbl. Stem U-Shape Wire Flue Brush	S5	13382		
84108	1-3/4" x 4" x 5-1/2" Dbl. Stem U-Shape Wire Flue Brush		13393	6	3.8 lbs.
84110	2" x 4-1/2" x 5" Dbl. Stem U-Shape Wire Flue Brush	S5-2	13384	6	5.0 lbs.
84112	3-1/2" x 6" x 6-1/2" Dbl. Stem U-Shape Wire Flue Brush	S5-4	13395	6	6.0 lbs.
84032	2" x 4" x 4-1/2" Oval Shape Wire Flue Brush	S5-6	---	6	5.0 lbs.
84034	2-1/2" x 4-1/2" x 4-1/2" Oval Shape Wire Flue Brush	S5-8	---	6	6.0 lbs.
84052	3" x 5" x 4-1/2" Oval Shape Wire Flue Brush	S5-10	---	6	6.0 lbs.
84054	3" x 4" x 4-1/2" Dbl. Stem, Dbl. Spiral Oval Shape Wire Flue Brush	---	---	6	6.0 lbs.
84008	3/8" x 1" Flat Fine Wire Baffle Brush (5/16-18 internal thread 1/8"NPT)	S5-12	41218	6	0.9 lbs.
84026	1/2" x 2" Flat Fine Wire Baffle Brush	S5-14	41228	6	1.9 lbs.
84033	3/4" x 3" Flat Fine Wire Baffle Brush	S5-16	41238	6	2.3 lbs.
84066	7/8" x 4" Flat Fine Wire Baffle Brush	S5-18	41248	6	2.7 lbs.

## Extension Rods and Accessories for Flue, Boiler and Chimney Cleaning Brushes



Standard rods & brushes have a 1/4" NPT self-connect, .34" dia. ext. rod.

Heavy-duty rods & brushes have a 3/8" NPT self-connect, .44 dia. ext. rod.

Cat. #	Description	Sid-Harvey #	Schaefer #	Std. Pkg.	Wgt./Pkg.
30002	3' Standard Fiberglass Extension Rod	S5-46	30664	6	2.5 lbs.
30004	3' Standard Fiberglass Extension Rod - Bulk-Pack, 24	---	---	1	10.0 lbs
30021	4' Standard Fiberglass Extension Rod	S5-48	36048	6	2.6 lbs.
30022	4' Standard Fiberglass Extension Rod with T-handle Display Six-Pack---	---	1	2.8 lbs.	
30023	4' Standard Fiberglass Extension Rod - Bulk-Pack, 24	---	---	1	10.4 lbs.
30061	6' Standard Fiberglass Extension Rod	S5-52	---	4	3.0 lbs.
30071	6' Standard Fiberglass Extension Rod - Bulk-Pack, 24	---	---	1	18.0 lbs.
30003	3' Standard Twisted Wire Extension Handle/Loop Handle	---	30328	6	4.3 lbs.
30007	3' Standard Twisted Wire Extension Rod	---	---	6	4.6 lbs.
30009	3' Standard Twisted Wire Extension Rod - Bulk-Pack, 24	---	---	1	17.2 lbs.
30031	4' Standard Twisted Wire Extension Rod	---	---	6	4.9 lbs.
30033	4' Standard Twisted Wire Extension Rod - Bulk-Pack, 24	---	---	1	19.6 lbs.
30064	6' Standard Twisted Wire Extension Rod	---	---	4	7.9 lbs.
30073	6' Standard Twisted Wire Extension Rod - Bulk-Pack, 24	---	---	1	47.4 lbs.
30015	3' Heavy-Duty Fiberglass Extension Rod	---	---	6	3.0 lbs.
30035	4' Heavy-Duty Fiberglass Extension Rod	S5-51	36048	4	2.4 lbs.
30065	6' Heavy-Duty Fiberglass Extension Rod	S5-51B	36072	4	4.0 lbs.
70010	1/4" NPT Eye Socket Nipple, Bulk	S5-55A	36350	12	1.2 lbs.
70016	3/8" NPT Heavy-Duty Eye Socket Nipple	S5-55B	36351	12	.65 lbs.
70030	3/8" - 1/4" NPT Reducer	---	36352	12	1.2 lbs.
70031	1/4"-1/8" NPT Reducer	---	---	12	1.0 lbs.
70764	Creosote and Shelf Scraper 6" x 3-1/2", Display Bag	---	---	6	3.0 lbs.
70766	Extension Rod T-Handle 4" x 2-1/2", Display Bag	S5-55	---	6	2.25 lbs.

**Note: Exercise caution when working near electrical outlets and wires as metal brushes and steel extension rods conduct electricity.**

## #6500 Series Condenser Tube/Heat Exchanger Brushes & Accessories



Mill-Rose offers a complete line of condenser tube and heat exchanger brushes available in four bristle materials: High Carbon Steel, Stainless Steel, Brass and Nylon. Bristle sizes are graduated from .008" on small diameter brushes, to .010" on larger sizes to provide consistent cleaning power.

All brushes from 3/8" diameter to 3" have a 11/32" diameter coupling with a 5/16-18 internal thread and 1/8" NPT outside. There is no O.D. thread on 3/8" brushes. Shank length is 2". Adapters are also available to accommodate other standard thread sizes.

The 1/4" diameter brushes are mounted on a 3/16" diameter coupling with a 8-32 external thread. The #75110 extension rod kit has 30" of 3/16" diameter self-connecting rods with an 8-32 internal thread.

Condenser Tube Brushes are single-spiral construction. Double-stem, single-spiral construction with 1/4" NPT is available in brush diameters from 1-1/4" to 3" on a special-order basis.



### 1/4" Condenser Tube Brushes with 8/32 Threaded Female Coupling

H/C Steel	CATALOG NUMBER				Brush Diameter	Brush Length	Overall Length	Wire Size	Standard Pack	Weight/Package
	Stainless	Brass	Nylon							
65500	65502	65504	65506		1/4"	2-1/4"	3-1/4"	.006	6	.06 lbs.
75110					Extension Rod Kit - 1/4" Condenser Brushes			1		.32 lbs.

*Individually boxed with UPC and sizes clearly indicated.*


### CONDENSER TUBE BRUSHES - 1/8 NPT Outside - 5/16-18 Internal Thread

H/C Steel	CATALOG NUMBER				Brush Diameter	Brush Length	Overall Length	Wire Size	Standard Pack	Weight/Package
	Stainless	Brass	Nylon							
65020	65135	65250	65365		3/8"	4-1/2"	7-1/2"	.008	1	.14 lbs.
65025	65140	65255	65370		7/16"	4-1/2"	7-1/2"	.008	1	.14 lbs.
65030*	65145*	65260	65375*		1/2"	4-1/2"	7-1/2"	.008	1	.14 lbs.
65035	65150	65265	65380		9/16"	4-1/2"	7-1/2"	.008	1	.15 lbs.
65040*	65155	65270*	65385*		5/8"	4-1/2"	7-1/2"	.008	1	.15 lbs.
65045	65160	65275	65390		11/16"	4-1/2"	7-1/2"	.008	1	.16 lbs.
65050	65165	65280	65395		3/4"	4-1/2"	7-1/2"	.008	1	.16 lbs.
65055	65170	65285	65400		13/16"	4-1/2"	7-1/2"	.008	1	.17 lbs.
65060	65175	65290	65405		7/8"	4-1/2"	7-1/2"	.010	1	.17 lbs.
65065	65180	65295	65410		15/16"	4-1/2"	7-1/2"	.010	1	.18 lbs.
65070*	65185*	65300	65415*		1"	4-1/2"	7-1/2"	.010	1	.20 lbs.
65075	65190	65305	65420		1-1/8"	4-1/2"	7-1/2"	.010	1	.20 lbs.
65080	65195	65310	65425*		1-1/4"	4-1/2"	7-1/2"	.010	1	.22 lbs.
65085	65200	65315	65430		1-3/8"	4-1/2"	7-1/2"	.010	1	.23 lbs.
65090	65205	65320	65435		1-1/2"	4-1/2"	7-1/2"	.010	1	.24 lbs.
65095	65210	65325	65440		1-5/8"	4-1/2"	7-1/2"	.010	1	.25 lbs.
65100	65215	65330	65445		1-3/4"	4-1/2"	7-1/2"	.010	1	.28 lbs.
65105	65220	65335	65450		1-7/8"	4-1/2"	7-1/2"	.010	1	.28 lbs.
65110	65225	65340	65455		2"	4-1/2"	7-1/2"	.010	1	.30 lbs.
65115	65230	65345	65460		2-1/4"	4-1/2"	7-1/2"	.010	1	.32 lbs.
65120	65235	65350	65465		2-1/2"	4-1/2"	7-1/2"	.010	1	.34 lbs.
65125	65240	65355	65470		2-3/4"	4-1/2"	7-1/2"	.010	1	.36 lbs.
65130	65245	65360	65475		3"	4-1/2"	7-1/2"	.010	1	.40 lbs.

\*No O.D. Thread on 3/8" brushes.

\*Most popular items - Suggested Stock

## Extension Rods & Adapters for Condenser Tube Brushes



Cat. #	Description	Std. Pkg.	Wgt/Pkg.
65000	3' Fiberglass extension rod 5/16-18 1/8 NPT with "T" handle	6	1.6 lbs.
65001	"T" handle 1/2"x3" with 5/16-18 male/female thread	6	.4 lbs.
65002	3' Steel extension rod	6	6.0 lbs.
65006	"T" handle for steel extension rods	6	.4 lbs.
65003	M/R brush adapter to comp. rod (5/16-18 male brush to 12-24 female rod)	6	.3 lbs.
65004	M/R rod adapter to comp. brush (5/16-18 female rod to 12-24 male brush)	6	.3 lbs.
65007	M/R brush adapter to power condenser cleaning machine	6	1.0 lbs.
65010	2' Fiberglass ext. rod 5/16-18 1/8" NPT	6	.8 lbs.
65015	3' Fiberglass ext. rod 5/16-18 1/8" NPT	6	1.2 lbs.
65018	3' Fiberglass ext. rod w/T-handle (6/Pk)	1	1.7 lbs.
65016	4' Fiberglass ext. rod 5/16-18 1/8" NPT	6	1.5 lbs.
65017	6' Fiberglass ext. rod 5/16-18 1/8" NPT	6	2.0 lbs.

**Note:** Exercise caution when working near electrical outlets and wires as metal brushes and steel extension rods conduct electricity.

## Fin Comb and Coil Whisk



Cat. #	Description	Std. Pkg.	Wgt/Pkg.
73610	6-3/4" Fin & Coil Whisk	12	.8 lbs.
73620	Fin Comb Scraping Tool (Adjustable)	12	1.5 lbs.

Fin comb cleans fins and restores bent fins to normal position. Small whisk type brush features stiff polypropylene bristles firmly imbedded in plastic handle. Ideal for cleaning in between small fins and coils. Display packaged with UPC clearly indicated.

## Refrigeration Coil Cleaning Brushes



Cat. #	Description	Std. Pkg.	Wgt/Pkg.
01390	5/8" - 1-5/8" Tapered Diameter, Horsehair, 32" OAL, Wood Handle, Display Package	12	3.60 lbs.
01392	5/8" - 1-5/8" Tapered Diameter, Horsehair, 29" OAL, Plastic Handle, Coated Stem, Display Package	12	3.24 lbs.
01394	3/4" - 1-5/8" Double Stepped Diameter, Synthetic 26" OAL, Wood Handle, Display Package (Schaefer #00405)	12	3.80 lbs.

## Soot Saw



Ideal for heavy-duty soot and creosote removal from commercial and residential boilers. The perfect tool when brushes just don't do the job.

Cat. #	Description	Std. Pkg.	Wgt/Pkg.
70707	Soot Saw	10	10.0 lbs.

Features plastic handle and heavy-gauge galvanized steel with serrated edge that cuts through soot and creosote fast. 32" overall length.



# HVACR Brushes & Accessories

## Flue & Boiler Tube Brushes Black Oil Tempered Wire - 1/4" NPT



Single Spiral


Double Spiral

Quality flue and boiler tube brushes designed and engineered from durable black oil-tempered wire. Available in two standard constructions: single spiral #8300 Series and double-spiral #8400 Series. Brushes below have an overall length of 8" and brush length of 4-1/2". Individually packaged with unit size and UPC.

Single Spiral	Double Spiral	Brush Dia.	Flue Dia.	Brush Length	Overall Length	Std. Pack	Wgt./Pkg.
**83002	84002	1/2"	3/4"	4-1/2"	8"	1	1.2 lbs.
83005	84005	3/4"	1"	4-1/2"	8"	1	1.5 lbs.
83010	84010	1"	1-1/4"	4-1/2"	8"	1	1.5 lbs.
83015	84015	1-1/4"	1-1/2"	4-1/2"	8"	1	1.5 lbs.
83020	84020	1-1/2"	1-3/4"	4-1/2"	8"	1	1.5 lbs.
83025	84025	1-3/4"	2"	4-1/2"	8"	1	1.5 lbs.
83030	84030	2"	2-1/4"	4-1/2"	8"	1	2.0 lbs.
83035	84035	2-1/4"	2-1/2"	4-1/2"	8"	1	2.0 lbs.
83040	84040	2-1/2"	2-3/4"	4-1/2"	8"	1	2.0 lbs.
83045	84045	2-3/4"	3"	4-1/2"	8"	1	2.5 lbs.
83050	84050	3"	3-1/4"	4-1/2"	8"	1	2.5 lbs.
83055	84055	3-1/4"	3-1/2"	4-1/2"	8"	1	3.0 lbs.
83060	84060	3-1/2"	3-3/4"	4-1/2"	8"	1	3.0 lbs.
83065	84065	3-3/4"	4"	4-1/2"	8"	1	3.2 lbs.
83070	84070	4"	4-1/4"	4-1/2"	8"	1	3.2 lbs.
83085	84090	5"	5-1/4"	4-1/2"	8"	1	3.2 lbs.
83100	84105	6"	6-1/4"	4-1/2"	8"	1	3.4 lbs.

\*\* 1/8" NPT


## Flue & Boiler Tube Brushes Fiber Fill - 1/4" NPT



When ordering, be sure to specify either the actual brush size required or the OD of the tube to be cleaned.

Single Spiral	Brush Diameter	Flue Diameter	Brush Length	Overall Length	Std. Pack	Wgt./Pkg.
84810	1"	1-1/4"	4-1/2"	8"	1	1.5 lbs.
84820	1-1/2"	1-3/4"	4-1/2"	8"	1	1.5 lbs.
84830	2"	2-1/4"	4-1/2"	8"	1	1.5 lbs.
84840	2-1/2"	2-3/4"	4-1/2"	8"	1	1.5 lbs.
84850	3"	3-1/4"	4-1/2"	8"	1	2.0 lbs.
84860	3-1/2"	3-3/4"	4-1/2"	8"	1	2.0 lbs.
84870	4"	4-1/4"	4-1/2"	8"	1	2.0 lbs.
84880	5"	5-1/4"	4-1/2"	8"	1	2.4 lbs.
84890	6"	6-1/4"	4-1/2"	8"	1	2.6 lbs.
84900	7"	7-1/4"	4 1/2"	8"	1	3.0 lbs.
84910	8"	8-1/4"	4 1/2"	8"	1	3.6 lbs.

## #3000 Series Extension Rods for Flue & Boiler Tube Brushes



Flexible, self-connecting twisted-in-wire or fiberglass extension rods with self-connecting 1/4" NPT nipples are available in three convenient lengths (3', 4', 6').

Cat. #	Description	Length	Std. Pack	Wgt./Pkg.
30002	Fiberglass	3'	6	2.5 lbs.
30021	Fiberglass	4'	6	2.6 lbs.
30023	Fiberglass (24/Pack)	4'	1	10.0 lbs.
30061	Fiberglass	6'	6	3.0 lbs.
30007	Twisted Steel Rod	3'	6	4.6 lbs.
30031	Twisted Steel Rod	4'	6	4.9 lbs.
30064	Twisted Steel Rod	6'	4	7.9 lbs.
30003	Twisted Steel Rod with loop-end handle	3'	6	4.5 lbs.

## "T" Extension Rod Handle for #3000 Series Extension Rods



Steel construction to be used with 1/4" NPT fiberglass or steel extension rods. See Page 18.

Cat. #	Description	Std. Pack	Wgt./Pkg.
70766	4" x 2-1/2"	6	.15 lbs.

7310 Corporate Blvd., Mentor, OH 44060  
 To order call toll-free: 1-800-321-3598 or Fax (440) 255-1072  
 Visit our web site at [www.CleanFit.com](http://www.CleanFit.com) • e-mail: [info@CleanFit.com](mailto:info@CleanFit.com)